



SVSWR Request Form

Please fill out all the information below. This information is needed to ensure accuracy of the report and the timely calibration of your site. Please call us with any questions (712-764-2197), or email quotes@libertycalibration.com.

Company Name:

Applied Specification: CISPR 16-1-4 (2010), Clause 8 and 8.3.3

Site Description

Manufacturer:

Model Number:

Serial Number:

Chamber

OATS

Fully Anechoic

Partially Anechoic

Validation Distance: 3 m

Site Address (Street, City, State, Zip):

Report Will Be Prepared For

Lab Manager Name:

Email:



Chamber/Site

Inner dimensions inside absorber (absorber tip to tip).

Length:

Width:

Height:

Absorber ceilings and walls size:

Outer dimensions not including absorber (shielding to shielding).

Length:

Width:

Height:

Lighting R/F Filtered?

YES

NO

Door size:

Is door shielded?

YES

NO

Turntable

Manufacturer:

Model:

Serial Number:

Flush mount?

YES

NO

Floor mount height above groundplane:

Diameter:

Controller/Interface:



Scan Tower Mast

Manufacturer:

Model:

Serial Number:

Controller/Interface:

Additional Description:

Validated Volume

Diameter:

Height:

Is diameter larger than 1.5 m?

YES, center location required

NO, center not required

Antennas

Please note whether you want Liberty's antennas to be used or your own. If you want your own antennas used, please fill out the model information and send us your most recent calibration data.

Receive antenna used for 1-6GHz

Receive antenna used for 6-18GHz:

Liberty Calibration antenna

Liberty Calibration antenna

Client antenna

Client antenna

Model:

Model:

Serial Number:

Serial Number:

Calibration Due Date:

Calibration Due Date:



Transmit antenna used for 1-6GHz

Liberty Calibration antenna

Client antenna

Model:

Serial Number:

Calibration Due Date:

Transmit antenna used for 6-18GHz:

Liberty Calibration antenna

Client antenna

Model:

Serial Number:

Calibration Due Date:

Diagrams of chamber, floor absorber layout, and photographs

Detailed diagrams and measurements of the location of floor absorber in relationship to the walls shall be measured and recorded.

Floor absorber size

Length:

Width:

Height:

Floor absorber footprint size (how many rows, and how many rows deep):